

## NFPA 285 Compliant Wall Assembly Exterior to Interior - Ref:1019

Fiber Cement, Xci CG, Wood Stud

Fiber Cement, Xci CG, Treated Wood Stud

View WRB placement variations p.2

WrapShield SA Self-Adhered is a self-adhered, water resistive (WRB) vapor permeable air barrier sheet membrane adhered directly to substrate.

RevealShield SA Self-Adhered is a black, UV stable, water resistive (WRB) vapor permeable self-adhered air barrier membrane for open joint rain screen cladding systems.

Per Chapter 26 of the International Building Code, the wall assembly shall be tested in accordance with and comply with the acceptance criteria of NFPA 285. The listed assemblies in this document have met that criteria according to Hunter Panels. Visit hunterpanels.com for verification.



Comprehensive details available at VaproShield.com.
Illustration for explanatory purposes only.

Base Wall System

Wall Component

FRTW (Fire-retardant-treated wood) studs: min norminal 2x4 dimension, spaced 24" o.c. (max) 5/8" type X Gypsum Wallboard Interior and Bracing as required by cude.

Fiber Cement—Fiber Cement Board siding. Any standard installation technique can be used

Approved Exterior Finish

Terra Cotta Cladding—Use any Terra Cotta Cladding System in which Terra Cotta is minimum 1/2". Any non-open joint installation technique or ventilated shiplap

may be used. **Autoclaved Aerated Concrete**—AAC panels that have successfully passed NFPA 285 criteria.

**Material Options** 

1) 3.5" max thickness of Hunter Xci CG

**Materials** 

OR None\*

2) 4" max thickness of **Hunter Xci CG** with non-combustible claddings

Floorline Firestopping

Mineral fiber based safing insulation in each cavity at the floor line. Safing thickness must match cavity depth. Or Solid FRTW blocking at floor line in accordance with building code requirements for Type III construction.

**Stud Cavity** 

Any noncombustible insulation, Covestro BaySeal CC X or CC CP\*\*, BASF Walltite\*\*, NCFI InsulBlock SPF\*\*, Icynene MD-C-200v3 (ProSeal) up to  $5\frac{1}{2}$ " \*\* or None

**Exterior Sheathing** 

1/2" (min) thick exterior gypsum sheathing OR ½" (min) FRTW structural panels in Type III construction.

Weather Resistive Membrane Applied to Base Wall

VaproShield WrapShield SA Self-Adhered, RevealShield SA Self-Adhered

Weather Resistive Membrane Applied to Exterior Insulation

VaproShield WrapShield SA Self-Adhered, RevealShield SA Self-Adhered


The location and number of WRB's in the wall assembly are determined by the architect. See p.2 for additional illustrations showing VaproShield WRB/Air Barrier placement.



## NFPA 285 Compliant Wall Assembly Fiber Cement, Xci CG, Wood Stud

## VaproShield WRB/Air Barrier Placement Variations as per Hunter NFPA 285 Test Data





Comprehensive details available at VaproShield.com. Illustration for explanatory purposes only.