

WRAPSHIELD[®] IT INTEGRATED TAPE

VaproLiqui-Flash[™]

DRAWN BY: AR

REF: 184

system. DATE: 01-04-17

Always check www.VaproShield.com for the latest details and installation instructions

VaproLigui-Flash is a liguid applied,

barrier flashing system component for

vapor permeable, waterproof, air

window and door rough openings.

field membranes as a complete

VaproLiquiFlash is designed to work

with VaproFlashing and VaproShield


PRODUCT DESCRIPTION

VaproShield LLC | 915 26th Ave. N.W. Suite C5 | Gig Harbor, WA 98335 | Toll Free: 1.866.731.7663 | www.VaproShield.com | © VaproShield 3/15/2016 VaproShield Canada | 101-1001 West Broadway Suite 545 | Vancouver, B.C. V6H 4E4, Canada | Toll Free: 1.866.871.8263 | www.VaproShield.ca

DISCLAIMER

Detail sketch is generic, representing suggested best practices for VaproShield materials, and does not represent a specific job site condition and therefore may not be applicable to certain projects. Detail sketch is designed for use as a reference and must be approved by the designer/ consultant of record for each project prior to installation by the subcontractor. Changes and approvals of VaproShield details are the sole responsibility of the designer/consultant of record. VaproShield is not the designer of record for building enclosure details and takes no responsibility for the accuracy or interpretation of actual project site conditions.





WRAPSHIELD[®] IT INTEGRATED TAPE

VaproLiqui-Flash[™]

PRODUCT DESCRIPTION

VaproLiqui-Flash is a liquid applied, vapor permeable, waterproof, air barrier flashing system component for window and door rough openings. VaproLiquiFlash is designed to work with VaproFlashing and VaproShield field membranes as a complete system.

DISCLAIMER

Detail sketch is generic, representing suggested best practices for VaproShield materials, and does not represent a specific job site condition and therefore may not be applicable to certain projects. Detail sketch is designed for use as a reference and must be approved by the designer/ consultant of record for each project prior to installation by the subcontractor. Changes and approvals of VaproShield details are the sole responsibility of the designer/consultant of record. VaproShield is not the designer of record for building enclosure details and takes no responsibility for the accuracy or interpretation of actual project site conditions.


DRAWN BY: AR REF: 184

DATE: 01-04-17

Always check www.VaproShield.com for the latest details and installation instructions

VaproShield LLC | 915 26th Ave. N.W. Suite C5 | Gig Harbor, WA 98335 | Toll Free: 1.866.731.7663 | www.VaproShield.com | © VaproShield 3/15/2016 VaproShield Canada | 101-1001 West Broadway Suite 545 | Vancouver, B.C. V6H 4E4, Canada | Toll Free: 1.866.871.8263 | www.VaproShield.ca





WRAPSHIELD[®] IT INTEGRATED TAPE

window and door rough openings. VaproLiquiFlash is designed to work VaproLiqui-Flash[™]

DRAWN BY: AR DATE: 01-04-17

Always check www.VaproShield.com for the latest details and installation instructions

VaproLigui-Flash is a liguid applied,

barrier flashing system component for

with VaproFlashing and VaproShield

field membranes as a complete

vapor permeable, waterproof, air

PRODUCT DESCRIPTION

system.


DISCLAIMER

Detail sketch is generic, representing suggested best practices for VaproShield materials, and does not represent a specific job site condition and therefore may not be applicable to certain projects. Detail sketch is designed for use as a reference and must be approved by the designer/ consultant of record for each project prior to installation by the subcontractor. Changes and approvals of VaproShield details are the sole responsibility of the designer/consultant of record. VaproShield is not the designer of record for building enclosure details and takes no responsibility for the accuracy or interpretation of actual project site conditions.

REF: 184

VaproShield LLC | 915 26th Ave. N.W. Suite C5 | Gig Harbor, WA 98335 | Toll Free: 1.866.731.7663 | www.VaproShield.com | © VaproShield 3/15/2016 VaproShield Canada | 101-1001 West Broadway Suite 545 | Vancouver, B.C. V6H 4E4, Canada | Toll Free: 1.866.871.8263 | www.VaproShield.ca





WRAPSHIELD[®] 17 INTEGRATED TAPE

VaproLiqui-Flash™

l	U	I-1	L	10	Γ	7

DRAWN BY: AR DATE: 01-04-17

REF: 184

Always check www.VaproShield.com for the latest details and installation instructions

field membranes as a complete

VaproLigui-Flash is a liguid applied,

barrier flashing system component for

vapor permeable, waterproof, air

window and door rough openings.

VaproLiquiFlash is designed to work

with VaproFlashing and VaproShield

PRODUCT DESCRIPTION

system.

DISCLAIMER

Detail sketch is generic, representing suggested best practices for VaproShield materials, and does not represent a specific job site condition and therefore may not be applicable to certain projects. Detail sketch is designed for use as a reference and must be approved by the designer/ consultant of record for each project prior to installation by the subcontractor. Changes and approvals of VaproShield details are the sole responsibility of the designer/consultant of record. VaproShield is not the designer of record for building enclosure details and takes no responsibility for the accuracy or interpretation of actual project site conditions.

VaproShield LLC | 915 26th Ave. N.W. Suite C5 | Gig Harbor, WA 98335 | Toll Free: 1.866.731.7663 | www.VaproShield.com | © VaproShield 3/15/2016 VaproShield Canada | 101-1001 West Broadway Suite 545 | Vancouver, B.C. V6H 4E4, Canada | Toll Free: 1.866.871.8263 | www.VaproShield.ca