


Horizontal Hat Channel Rain Screen System with VaproShim SA Self-Adhered



Cladding attached to hat channels
Screws should not penetrate field membrane

Horizontal hat channels by others
screwed into VaproShim SA Self-Adhered, creating a drainage gap between cladding attachment system and field membrane

VaproShim SA available in 1/4" (6.35 mm) and 1/8" (3.175 mm) thicknesses

CANSHIELD™ VP
VAPROSHIM SA™
SELF-ADHERED

DRAWN BY: AR

DATE: 12/17/20

PRODUCT DESCRIPTION

CanShield SA is a self-adhered, water resistive vapor permeable air barrier sheet membrane

VaproShim SA is used under cladding attachment components to create a rain screen drainage plane for cladding, while sealing fastener penetrations


DISCLAIMER

Detail sketch is generic, representing suggested best practices for VaproShield materials, and does not represent a specific job site condition and therefore may not be applicable to certain projects. Detail sketch is designed for use as a reference and must be approved by the designer/ consultant of record for each project prior to installation by the subcontractor. Changes and approvals of VaproShield details are the sole responsibility of the designer/consultant of record. VaproShield is **not** the designer of record for building enclosure details and takes no responsibility for the accuracy or interpretation of actual project site conditions.

REF: 253

Always check www.VaproShield.com for the latest details and installation instructions

Horizontal Hat Channel Rain Screen System with VaproShim SA Self-Adhered



Horizontal hat channels by others screwed into VaproShim SA Self-Adhered, creating a drainage gap between cladding attachment system and field membrane

Cladding attached to hat channels

VaproShim SA available in 1/4" (6.35 mm) and 1/8" (3.175 mm) thicknesses

Screws should not penetrate field membrane

CANSHIELD™ VP
VAPROSHIM SA™
SELF-ADHERED

PRODUCT DESCRIPTION

CanShield SA is a self-adhered, water resistive vapor permeable air barrier sheet membrane

VaproShim SA is used under cladding attachment components to create a rain screen drainage plane for cladding, while sealing fastener penetrations

DISCLAIMER

Detail sketch is generic, representing suggested best practices for VaproShield materials, and does not represent a specific job site condition and therefore may not be applicable to certain projects. Detail sketch is designed for use as a reference and must be approved by the designer/ consultant of record for each project prior to installation by the subcontractor. Changes and approvals of VaproShield details are the sole responsibility of the designer/consultant of record. VaproShield is **not** the designer of record for building enclosure details and takes no responsibility for the accuracy or interpretation of actual project site conditions.

DRAWN BY: AR


DATE: 12/17/20

REF: 253

Always check www.VaproShield.com for the latest details and installation instructions

Horizontal Hat Channel Rain Screen System with VaproShim SA Self-Adhered

CanShield SA Self-Adhered field membrane



Horizontal hat channels screwed into VaproShim SA Self-Adhered, creating a drainage gap between cladding attachment system and field membrane

Screws should not penetrate field membrane

VaproShim SA available in 1/4" (6.35 mm) and 1/8" (3.175 mm) thicknesses

CANSHIELD™ VP
VAPROSHIM SA™
 SELF-ADHERED

DRAWN BY: AR

DATE: 12/17/20

PRODUCT DESCRIPTION

CanShield SA is a self-adhered, water resistive vapor permeable air barrier sheet membrane

VaproShim SA is used under cladding attachment components to create a rain screen drainage plane for cladding, while sealing fastener penetrations

DISCLAIMER

Detail sketch is generic, representing suggested best practices for VaproShield materials, and does not represent a specific job site condition and therefore may not be applicable to certain projects. Detail sketch is designed for use as a reference and must be approved by the designer/ consultant of record for each project prior to installation by the subcontractor. Changes and approvals of VaproShield details are the sole responsibility of the designer/consultant of record. VaproShield is **not** the designer of record for building enclosure details and takes no responsibility for the accuracy or interpretation of actual project site conditions.

REF: 253

Always check www.VaproShield.com for the latest details and installation instructions