


Gypsum sheathing (by others) in "as new" condition



VAPROSILICONE TRANSITION<sup>™</sup> MATERIALS



P

VaproSilicone Transition is a 100% silicone sheet specifically designed to provide a water and air tight transition of WRB/AB membranes for expansion joints, curtain wall, store fronts and window transitions.

VaproBond<sup>™</sup> is a single component 100% silicone adhesive sealant.

## DISCLAIMER

Detail sketch is generic, representing suggested best practices for VaproShield materials, and does not represent a specific job site condition and therefore may not be applicable to certain projects. Detail sketch is designed for use as a reference and must be approved by the designer/ consultant of record for each project prior to installation by the subcontractor. Changes and approvals of VaproShield details are the sole responsibility of the designer/consultant of record. VaproShield is **not** the designer of record for building enclosure details and takes no responsibility for the accuracy or interpretation of actual project site conditions.

REF: 188-1

DRAWN BY: AR

A

DATE: 6/22/17

Always check www.VaproShield.com for the latest details and installation instructions



VaproFlashing SA Self-Adhered properly shingled; applied directly to sheathing + folded 2.75" inside of R.O. Note: Total of 11.75" of flashing should be used: - 9" of flashing should be left on the face of the sheathing

**VAPROSILICONE TRANSITION<sup>™</sup> MATERIALS** 



PRODUCT DESCRIPTION

VaproSilicone Transition is a 100% silicone sheet specifically designed to provide a water and air tight transition of WRB/AB membranes for expansion joints, curtain wall, store fronts and window transitions.

VaproBond<sup>™</sup> is a single component 100% silicone adhesive sealant.

#### DISCLAIMER

Detail sketch is generic, representing suggested best practices for VaproShield materials, and does not represent a specific job site condition and therefore may not be applicable to certain projects. Detail sketch is designed for use as a reference and must be approved by the designer/ consultant of record for each project prior to installation by the subcontractor. Changes and approvals of VaproShield details are the sole responsibility of the designer/consultant of record. VaproShield is not the designer of record for building enclosure details and takes no responsibility for the accuracy or interpretation of actual project site conditions.


REF: 188-2

DATE: 6/22/17

Always check www.VaproShield.com for the latest details and installation instructions



VaproFlashing SA Jamb Pieces applied directly to sheathing + folded 2.75" inside R.O. - 9" of flashing should be left on the face of the sheathing




VaproFlashing SA Self-Adhered properly shingled; applied directly to sheathing + folded 2.75" inside of R.O. Note: Total of 11.75" of flashing should be used:

- 9" of flashing should be left on the face of the sheathing

PRODUCT DESCRIPTION DISCLAIMER VAPROSILICONE TRANSITION<sup>™</sup> MATERIALS Detail sketch is generic, representing suggested best VaproSilicone Transition is a 100% silicone practices for VaproShield materials, and does not sheet specifically designed to provide a represent a specific job site condition and therefore may WRAPSHIELD SA® water and air tight transition of WRB/AB not be applicable to certain projects. Detail sketch is designed for use as a reference and must be approved by membranes for expansion joints, curtain the designer/ consultant of record for each project prior to **SELF-ADHERED** wall, store fronts and window transitions. installation by the subcontractor. Changes and approvals VAPROBOND" of VaproShield details are the sole responsibility of the VaproBond<sup>™</sup> is a single component 100% designer/consultant of record. VaproShield is not the designer of record for building enclosure details and takes silicone adhesive sealant. no responsibility for the accuracy or interpretation of DRAWN BY: AR DATE: 6/22/17 actual project site conditions. REF: 188-3

Always check www.VaproShield.com for the latest details and installation instructions





directly to sheathing + folded 2.75" inside R.O.

VAPROSILICONE TRANSITION<sup>™</sup> MATERIALS



PRODUCT DESCRIPTION

VaproSilicone Transition is a 100% silicone sheet specifically designed to provide a water and air tight transition of WRB/AB membranes for expansion joints, curtain wall, store fronts and window transitions.

VaproBond™ is a single component 100% silicone adhesive sealant.

#### DISCLAIMER

Detail sketch is generic, representing suggested best practices for VaproShield materials, and does not represent a specific job site condition and therefore may not be applicable to certain projects. Detail sketch is designed for use as a reference and must be approved by the designer/ consultant of record for each project prior to installation by the subcontractor. Changes and approvals of VaproShield details are the sole responsibility of the designer/consultant of record. VaproShield is **not** the designer of record for building enclosure details and takes no responsibility for the accuracy or interpretation of actual project site conditions.


REF: 188-4

DRAWN BY: AR

DATE: 6/22/17

Always check www.VaproShield.com for the latest details and installation instructions





VaproFlashing SA Jamb Pieces applied directly to sheathing + folded 2.75" inside R.O.

**VAPROSILICONE TRANSITION<sup>™</sup> MATERIALS** 



### PRODUCT DESCRIPTION

VaproSilicone Transition is a 100% silicone sheet specifically designed to provide a water and air tight transition of WRB/AB membranes for expansion joints, curtain wall, store fronts and window transitions.

VaproBond<sup>™</sup> is a single component 100% silicone adhesive sealant.


#### DISCLAIMER

Detail sketch is generic, representing suggested best practices for VaproShield materials, and does not represent a specific job site condition and therefore may not be applicable to certain projects. Detail sketch is designed for use as a reference and must be approved by the designer/ consultant of record for each project prior to installation by the subcontractor. Changes and approvals of VaproShield details are the sole responsibility of the designer/consultant of record. VaproShield is **not** the designer of record for building enclosure details and takes no responsibility for the accuracy or interpretation of actual project site conditions.

DRAWN BY: AR REF: 188-5 DATE: 6/22/17

Always check www.VaproShield.com for the latest details and installation instructions





VAPROSILICONE TRANSITION<sup>™</sup> MATERIALS



## PRODUCT DESCRIPTION

VaproSilicone Transition is a 100% silicone sheet specifically designed to provide a water and air tight transition of WRB/AB membranes for expansion joints, curtain wall, store fronts and window transitions.

VaproBond<sup>™</sup> is a single component 100% silicone adhesive sealant.

#### DISCLAIMER

Detail sketch is generic, representing suggested best practices for VaproShield materials, and does not represent a specific job site condition and therefore may not be applicable to certain projects. Detail sketch is designed for use as a reference and must be approved by the designer/ consultant of record for each project prior to installation by the subcontractor. Changes and approvals of VaproShield details are the sole responsibility of the designer/consultant of record. VaproShield is **not** the designer of record for building enclosure details and takes no responsibility for the accuracy or interpretation of actual project site conditions.

REF: 188-6


DRAWN BY: AR

Alv

DATE: 6/22/17

Always check www.VaproShield.com for the latest details and installation instructions





**VAPROSILICONE TRANSITION<sup>™</sup> MATERIALS** 



### PRODUCT DESCRIPTION

VaproSilicone Transition is a 100% silicone sheet specifically designed to provide a water and air tight transition of WRB/AB membranes for expansion joints, curtain wall, store fronts and window transitions.

VaproBond<sup>™</sup> is a single component 100% silicone adhesive sealant.

#### DISCLAIMER


Detail sketch is generic, representing suggested best practices for VaproShield materials, and does not represent a specific job site condition and therefore may not be applicable to certain projects. Detail sketch is designed for use as a reference and must be approved by the designer/ consultant of record for each project prior to installation by the subcontractor. Changes and approvals of VaproShield details are the sole responsibility of the designer/consultant of record. VaproShield is **not** the designer of record for building enclosure details and takes no responsibility for the accuracy or interpretation of actual project site conditions.

DRAWN BY: AR REF: 188-7

DATE: 6/22/17

Always check www.VaproShield.com for the latest details and installation instructions





**VAPROSILICONE TRANSITION<sup>™</sup> MATERIALS** 



### PRODUCT DESCRIPTION

VaproSilicone Transition is a 100% silicone sheet specifically designed to provide a water and air tight transition of WRB/AB membranes for expansion joints, curtain wall, store fronts and window transitions.

VaproBond<sup>™</sup> is a single component 100% silicone adhesive sealant.

#### DISCLAIMER

Detail sketch is generic, representing suggested best practices for VaproShield materials, and does not represent a specific job site condition and therefore may not be applicable to certain projects. Detail sketch is designed for use as a reference and must be approved by the designer/ consultant of record for each project prior to installation by the subcontractor. Changes and approvals of VaproShield details are the sole responsibility of the designer/consultant of record. VaproShield is **not** the designer of record for building enclosure details and takes no responsibility for the accuracy or interpretation of actual project site conditions.

REF: 188-8


DRAWN BY: AR

AI

DATE: 6/22/17

Always check www.VaproShield.com for the latest details and installation instructions





**VAPROSILICONE TRANSITION<sup>™</sup> MATERIALS** 



## PRODUCT DESCRIPTION

VaproSilicone Transition is a 100% silicone sheet specifically designed to provide a water and air tight transition of WRB/AB membranes for expansion joints, curtain wall, store fronts and window transitions.

VaproBond<sup>™</sup> is a single component 100% silicone adhesive sealant.

### DISCLAIMER

Detail sketch is generic, representing suggested best practices for VaproShield materials, and does not represent a specific job site condition and therefore may not be applicable to certain projects. Detail sketch is designed for use as a reference and must be approved by the designer/ consultant of record for each project prior to installation by the subcontractor. Changes and approvals of VaproShield details are the sole responsibility of the designer/consultant of record. VaproShield is **not** the designer of record for building enclosure details and takes no responsibility for the accuracy or interpretation of actual project site conditions.

REF: 188-9

DRAWN BY: AR

Alwa


DATE: 6/22/17

Always check www.VaproShield.com for the latest details and installation instructions









**VAPROSILICONE TRANSITION<sup>™</sup> MATERIALS** 



VaproSilicone Transition is a 100% silicone sheet specifically designed to provide a water and air tight transition of WRB/AB membranes for expansion joints, curtain wall, store fronts and window transitions.

VaproBond<sup>™</sup> is a single component 100% silicone adhesive sealant.

### DISCLAIMER

Detail sketch is generic, representing suggested best practices for VaproShield materials, and does not represent a specific job site condition and therefore may not be applicable to certain projects. Detail sketch is designed for use as a reference and must be approved by the designer/ consultant of record for each project prior to installation by the subcontractor. Changes and approvals of VaproShield details are the sole responsibility of the designer/consultant of record. VaproShield is **not** the designer of record for building enclosure details and takes no responsibility for the accuracy or interpretation of actual project site conditions.

REF: 188-11

DRAWN BY: AR


Ah

DATE: 6/22/17

Always check www.VaproShield.com for the latest details and installation instructions



actual project site conditions.



DRAWN BY: AR

REF: 188-12

DATE: 6/22/17

Always check www.VaproShield.com for the latest details and installation instructions



VaproSilicone Transition strip installed over VaproBond. VaproSilicone Transition spans curtain wall gap. Head strip overlaps jamb pieces

> Fillet joint created by tooling VaproBond over top edge of VaproSilicone Transition

> > 1/4 - 3/8 inch (6.4 -9.5 mm) bead of VaproBond applied under loose flap of overlapping VaproSilicone Transition strip.

VaproSilicone Transition strip installed over VaproBond. VaproSilicone Transition spans curtain wall gap.

**VAPROSILICONE TRANSITION<sup>™</sup> MATERIALS** 



PRODUCT DESCRIPTION

VaproSilicone Transition is a 100% silicone sheet specifically designed to provide a water and air tight transition of WRB/AB membranes for expansion joints, curtain wall, store fronts and window transitions.

VaproBond<sup>™</sup> is a single component 100% silicone adhesive sealant.

## DISCLAIMER

Detail sketch is generic, representing suggested best practices for VaproShield materials, and does not represent a specific job site condition and therefore may not be applicable to certain projects. Detail sketch is designed for use as a reference and must be approved by the designer/ consultant of record for each project prior to installation by the subcontractor. Changes and approvals of VaproShield details are the sole responsibility of the designer/consultant of record. VaproShield is **not** the designer of record for building enclosure details and takes no responsibility for the accuracy or interpretation of actual project site conditions.

REF: 188-13

Always check www.Vap

Always check www.VaproShield.com for the latest details and installation instructions