


NFPA 285 Compliant Wall Assembly

Natural Stone, Xci CG, Concrete

Natural Stone, Xci CG, Concrete View WRB placement variations p.2

WrapShield SA Self-Adhered is a self-adhered, water resistive (WRB) vapor permeable air barrier sheet membrane adhered directly to substrate. RevealShield SA Self-Adhered is a black, UV stable, water resistive (WRB) vapor permeable self-adhered air barrier membrane for open joint rain screen cladding systems.

Per Chapter 26 of the International Building Code, the wall assembly shall be tested in accordance with and comply with the acceptance criteria of NFPA 285. The listed assemblies in this document have met that criteria according to Hunter Panels. Visit hunterpanels.com for verification.



Comprehensive details available at VaproShield.com. Illustration for explanatory purposes only.

| Wall Component | Materials | Illustration for explanatory purposes only. |
|---|---|---|
| Base Wall System | Concrete Wall (cast in place or precast) | |
| Approved Exterior Finish | Limestone or Natural Stone—Minimum 1.25" thick, Limestone or Natural Stone Veneer. Any Standard installation technique can be used Stone Aluminum—Stone Aluminum Honeycomb Composite Panels that have been successfully tested by the panel manufacturer via the NFPA 285 test method. Any standard installation technique can be used. | |
| Material Options | 3.5" max thickness of Hunter Xci CG 4" max thickness of Hunter Xci CG with non-c | ombustible claddings |
| Floorline Firestopping | Not Applicable | |
| Stud Cavity | Not Applicable | |
| Exterior Sheathing | Not Applicable | |
| Weather Resistive Membrane Applied to Base Wall | VaproShield WrapShield SA Self-Adhered, Reve | ealShield SA Self-Adhered |
| Weather Resistive Membrane Applied to Exterior Insulation | VaproShield WrapShield SA Self-Adhered, Reve | ealShield SA Self-Adhered |
| | The location and number of W | /RB's in the wall assembly are determined by the architect. |

See p.2 for additional illustrations showing VaproShield WRB/Air Barrier placement.


VaproShield LLC 915 26th Ave. N.W. Suite C5 Gig Harbor, WA 98335 886.731.7663 • www.vaproshield.com

VaproShield Canada 101-1001 W. Broadway Suite 545 Vancouver, B.C. V6H 4E4, Canada 886.871.8263 • www.vaproshield.ca Hunter Panels 15 Franklin St Portland, ME 04101 888.746.1114 • www.hunterpanels.com



VaproShield WRB/Air Barrier Placement Variations as per Hunter NFPA 285 Test Data





Comprehensive details available at VaproShield.com. Illustration for explanatory purposes only.

VaproShield LLC 915 26th Ave. N.W. Suite C5 Gig Harbor, WA 98335 886.731.7663 • www.vaproshield.com VaproShield Canada 101-1001 W. Broadway Suite 545 Vancouver, B.C. V6H 4E4, Canada 886.871.8263 • www.vaproshield.ca

Hunter Panels 15 Franklin St Portland, ME 04101 888.746.1114 • www.hunterpanels.com