

## NFPA 285 Compliant Wall Assembly

Exterior to Interior - Ref:1001

MCM System, Xci Foil (Class A) and Xci 286, Treated Wood Stud

MCM System, Xci Foil (Class A) and Xci 286, Treated Wood Stud View WRB placement variations p.2

WrapShield SA Self-Adhered is a self-adhered, water resistive (WRB) vapor permeable air barrier sheet membrane adhered directly to substrate.

RevealShield SA Self-Adhered is a black, UV stable, water resistive (WRB) vapor permeable self-adhered air barrier membrane for open joint rain screen cladding systems.

Per Chapter 26 of the International Building Code, the wall assembly shall be tested in accordance with and comply with the acceptance criteria of NFPA 285. The listed assemblies in this document have met that criteria according to Hunter Panels. Visit hunterpanels.com for verification.



Wall Component

## **Materials**

Comprehensive details available at VaproShield.com.
Illustration for explanatory purposes only.

Base Wall System

FRTW (Fire-retardant-treated wood) studs: min norminal 2x4 dimension, spaced 24" o.c. (max) 5/8" type X Gypsum Wallboard Interior and Bracing as required by cude.

**Approved Exterior Finish** 

**Metal Exterior**—Metal Exterior wall coverings such as Steel, Aluminum, Copper, and Zinc. Any standard installation technique can be used.

MCM System—Use any Metal Composite Material system that has been successfully tested by the panel manufacturer via the NFPA 285 test method. Any standard installation technique can be used.

**Material Options** 

1) 3.5" max thickness of Hunter Xci Foil (Class A) or Hunter Xci

2) 4" max thickness of Hunter Xci Foil (Class A) or Hunter Xci with non-combustible claddings

Floorline Firestopping

Mineral fiber based safing insulation in each cavity at floor line. Safing thickness must match cavity depth. OR Solid FRTW blocking at floor line in accordance with building code requirements for Type III construction.

**Stud Cavity** 

Any noncombustible insulation, Covestro BaySeal CC X or CC CP1,2, BASF Walltite1,2, NCFI InsulBlock SPF1,2, Icynene MD-C-200v3 (ProSeal) up to 5½" 1,2, SWD Urethane Quik-Sheild 112 1,2 or None

**Exterior Sheathing** 

½" thick (min) exterior gypsum sheathing OR ½" (min) FRTW structural panels in Type III construction OR None. Exterior type gypsum sheathing is required when using SPF in the stud cavity.1

Weather Resistive Membrane Applied to Base Wall

Vaproshield Wrapshield SA, RevealShield SA

Weather Resistive Membrane Applied to Exterior Insulation

Vaproshield Wrapshield SA, RevealShield SA

The location and number of WRB's in the wall assembly are determined by the architect. See p.2 for additional illustrations showing VaproShield WRB/Air Barrier placement.

VaproShield LLC 915 26th Ave. N.W. Suite C5 Gig Harbor, WA 98335 886.731.7663 • www.vaproshield.com VaproShield Canada 101-1001 W. Broadway Suite 545 Vancouver, B.C. V6H 4E4, Canada 886.871.8263 • www.vaproshield.ca Hunter Panels
15 Franklin St
Portland, ME 04101
888.746.1114 • www.hunterpanels.com




## NFPA 285 Compliant Wall Assembly

MCM System, Xci Foil (Class A) and Xci 286, **Treated Wood Stud** 

## VaproShield WRB/Air Barrier Placement Variations as per Hunter NFPA 285 Test Data





Comprehensive details available at VaproShield.com. Illustration for explanatory purposes only.