


NFPA 285 Compliant Wall Assembly

MCM System, Xci Ply and Xci Ply (Class A), Concrete Masonry Wall

MCM System, Xci Ply and Xci Ply (Class A), Concrete Masonry Wall View WRB placement variations p.2

WrapShield SA Self-Adhered is a self-adhered, water resistive (WRB) vapor permeable air barrier sheet membrane adhered directly to substrate. RevealShield SA Self-Adhered is a black, UV stable, water resistive (WRB) vapor permeable self-adhered air barrier membrane for open joint rain screen cladding systems.

Per Chapter 26 of the International Building Code, the wall assembly shall be tested in accordance with and comply with the acceptance criteria of NFPA 285. The listed assemblies in this document have met that criteria according to Hunter Panels. Visit hunterpanels.com for verification.



Comprehensive details available at VaproShield.com. Illustration for explanatory purposes only.

Wall Component	Materials	Illustration for explanatory purposes only.
Base Wall System	Steel Stud — 1 layer 5/8" thick Type X Gypsum wallboard on interior, installed over steel studs: minimum 3 5/8" depth, minimum 22 gauge at a maximum of 24 inch o.c. with lateral bracing every 4 ft. vertically.	
Approved Exterior Finish	Cast Artificial Stone, Cultured Stone —Minimum 1½" thick complying with ICC-ES AC51. Any non-open joint installation technique such as shiplap may be used.	
Material Options	1) 3.5" max thickness of Hunter Xci Foil (Class A) or Hunter Xci 2) 4" max thickness of Hunter Xci Foil (Class A) or Hunter Xci with r	ion-combustible claddings
Floorline Firestopping	Mineral fiber based safing insulation in each cavity at floor line. Safing Solid FRTW blocking at floor line in accordance with building code rec	
Stud Cavity	Any noncombustible insulation, Covestro BaySeal CC X or CC CP1,2 SPF1,2, Icynene MD-C-200v3 (ProSeal) up to 5½″ 1,2, SWD Urethan	
Exterior Sheathing	$\frac{1}{2}$ " thick (min) exterior gypsum sheathing OR $\frac{1}{2}$ " (min) FRTW structu None. Exterior type gypsum sheathing is required when using SPF in	
Weather Resistive Membrane Applied to Base Wall	Vaproshield Wrapshield SA, RevealShield SA	
Weather Resistive Membrane Applied to Exterior Insulation	Vaproshield Wrapshield SA, RevealShield SA	

The location and number of WRB's in the wall assembly are determined by the architect.

See p.2 for additional illustrations showing VaproShield WRB/Air Barrier placement.

VaproShield LLC 915 26th Ave. N.W. Suite C5 Gig Harbor, WA 98335 886.731.7663 • www.vaproshield.com VaproShield Canada 101-1001 W. Broadway Suite 545 Vancouver, B.C. V6H 4E4, Canada 886.871.8263 • www.vaproshield.ca







NFPA 285 Compliant Wall Assembly Exterior to Interior - Ref:1001

MCM System, Xci Ply and Xci Ply (Class A), Concrete Masonry Wall

VaproShield WRB/Air Barrier Placement Variations as per Hunter NFPA 285 Test Data





Comprehensive details available at VaproShield.com. Illustration for explanatory purposes only.

VaproShield LLC 915 26th Ave. N.W. Suite C5 Gig Harbor, WA 98335 886.731.7663 • www.vaproshield.com VaproShield Canada 101-1001 W. Broadway Suite 545 Vancouver, B.C. V6H 4E4, Canada 886.871.8263 • www.vaproshield.ca

Hunter Panels 15 Franklin St Portland, ME 04101 888.746.1114 • www.hunterpanels.com