

Revision Number 2.1

Revision Date: 2020.08.27

RevealShield SA™ Self-Adhered Issue Date 2019.01.10

SECTION 1 – PRODUCT IDENTIFICATION

Product Identifier

Product Name: RevealShield SA™ Self-Adhered

RevealFlashing™ SA Self-Adhered Roll

Other means of identification

Other Names/Synonyms: Part No. 13309090 / 44305500

Recommended use of the chemical and restrictions on use

Recommended use: Restricted to professional users as a roofing underlayment

Uses advised against: No information available

Details of the supplier of the safety data sheet

Supplier Address: VAPROSHIELD, LLC

915 26^{TH} Ave. NW, #C-5 Gig Harbor, WA 9335

866-731-7663

Emergency telephone number

Product Information: 8:00 AM – 5:00 PM PST Monday-Friday

1-866-731-7663

24 hour Emergency Contact: 24/7 CHEMTREC:

1-800-424-9300 or 1-703-527-3887

SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: This product has no known adverse effect on human health

Classification: This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is not considered nazardous by the	2012 OOT IN TIAZATA COMMINATIONALION CIANADATA (25 OF IN 1510.1200)
Skin sensitivity	Category 0
Serious eye damage/eye irritation	Category 0
Reproductive toxicity	Category 0

Label Elements

EMERGENCY OVERVIEW:

Hazard statements

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Additives in this product do not present a respiration hazard unless the product is ground into a respirable size power and the dust inhaled. All dusts are potentially injurious to the respiratory tract if respirable particles are generated and inhaled.

Dust may form an explosive mixture in the air.

Appearance:Black SheetPhysical state:Solid Sheet membraneOdor:Slight

PRECAUTIONARY STATEMENTS:

The use personal protective equipment in not required; Avoid breathing if respirable particles are generated

RESPONSE: Not applicable **STORAGE:** Not applicable

DISPOSAL: Dispose of contents to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Not applicable

PHYSICAL DESCRIPTION: This product is an adhesive coated bonded polymer sheets of spun bonded moisture resistant polyester.



RevealShield SA™ Self-Adhered Issue Date 2019.01.10 Revision Date: 2020.08.27 Revision Number 2.1

HEALTH HAZARDS: This product does not present a respiration hazard unless ground to a powder of respirable size and the dust is inhaled. All dusts are potentially injurious to the respiratory tract if respirable particles are generated and inhaled. Dust may form explosive mixture in air.

FLAMMABILITY HAZARD: This product has a class A fire rating.

REACTIVITY HAZARD: This product is not reactive.

ENVIRONMENTAL HAZARD: This product has not been tested for environmental impact.

Health	0	
Flammability	0	
Physical Hazard	0	

0 = Minimal 3 = Serious 1 = Slight 4 = Severe 2 = Moderate * = Chronic

SECTION 3 - COMPOSITION/INFORMATION

Component	CAS-No.	Weight - %
Polyester	9002-88-4	>90%
Additives	Proprietary	<10%

SECTION 4 - FIRST AID MEASURES

Emergency Overview: This product does not present a respiration hazard unless the product is ground to a powder of respirable size and inhaled as dust.

INHALATION: If dusts of this material are inhaled, remove victim to fresh air. If necessary, use artificial respiration to support vital functions.

SKIN EXPOSURE: Generally the product is not a skin irritant. **EYE EXPOSURE:** Generally the product is not a skin irritant. **INGESTION:** In the case of an ongoing complaint consult a doctor.

SECTION 5 - FIRE-FIGHTING MEASURES

Flash point: Not Applicable

Auto ignition temperature: 330 - 350 °C (626 - 662 °F)

Fire and Explosion Hazard: Burning is accompanied by melting and dripping which may cause the fire

to spread.

Fire and Explosion Hazard: Hazardous combustion products: carbon monoxide, carbon dioxide.

Firefighting Instructions: Wear self-contained breathing apparatus and protective suit. Use

extinguishing measures that are appropriate for any surrounding fires.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

NOTE: Use appropriate personal protective equipment as needed during clean-up.

Spill Cleanup: Not Applicable

Handling: Minimize the generation and accumulation of dust.



Revision Number 2.1

RevealShield SA™ Self-Adhered Issue Date 2019.01.10

SECTION 7 - HANDLING AND STORAGE

Handling: Material can create slippery conditions.

Storage: No special conditions

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal Protection Equipment

Respiratory Protection: Respiratory protection should not be required under normal use and handling.

When workers are facing concentrations above the exposure limit they must

Revision Date: 2020.08.27

use appropriate certified respirators.

Exposure Guidelines

Exposure Limit Values

Chemical Name	Guideline	Value
Dust (inhalable and respirable fraction)	EH40 Workplace Exposure Limits	4 mg/m ³ 8 hr. TWA Respirable fraction 10 mg/m ³ 8 hr. TWA Inhalable dust

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Form: Sheets roll

Color: black
Odor: None

Melting point/range: 135 °C (275 °F)

Auto ignition temperature: 330 - 350 °C (626 - 662 °F)

SECTION 10 – STABILITY AND REACTIVITY

Hazardous decomposition

products: Nitrogen Oxide, Carbon monoxide, Carbon dioxide.

SECTION 11 - TOXICOLOGY INFORMATION

Oral LD50: > 7,000 mg/kg (rat)

Skin Irritation: non-irritant

Eye Irritation: non-irritant

Skin Sensitization: not a skin sensitizer

SECTION 12: ECOLOGICAL INFORMATION

Additional Ecological

In general this product is not dangerous to water, do not disperse in the

environment. This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (VPvB) at levels of 0.1% or higher.



RevealShield SA™ Self-Adhered Issue Date 2019.01.10 Revision Date: 2020.08.27

Revision Number 2.1

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Recycling is preferred to disposal or incineration. Can be landfilled or

incinerated in compliance with Federal, State and Local regulations.

SECTION 14: TRANSPORTATION INFORMATION

DOT Not regulated.

Not classified as dangerous for transport regulations.

SECTION 15: REGULATORY INFORMATION

SARA section 313: This product contains no known chemical components that exceed the

threshold reporting levels established by SARA Title III, Section 313.

California Prop. 65: This product does not contain chemicals known to the State of California

to cause cancer, birth defects or any other harm.

SECTION 16: OTHER INFORMATION

NFPA Health hazards: 0 Flammability: 0 Instability: 0 Physical / chemical Hazard: -

HMIS Health hazards: 0 Flammability: 0 Physical hazards: 0 Personal protection: -

Prepared By Regulatory Department

Issuing Date 28-August-2020

Disclaimer

Information provided in this Safety Data Sheet is given in good faith and is, to the best of our knowledge and belief, accurate and reliable. However, since information herein was obtained, in part, from independent suppliers not under the direction and supervision of VAPROSHIELD, the information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. VAPROSHIELD warrants only that it has made no effort to censor other than trade secret information or to conceal deleterious aspects of its products. The information relates only to the specific material designated and may not be valid for material used in combination with other materials or in any process, unless noted in the text.

End of Safety Data Sheet